

**SWARTLAND WEST COAST SPCA**  
**INSPECTOR REPORT**

**1849**

Complaint Reference No.

Building:  
Street: TONTELBLOM STREET SMALL FARMER  
Suburb: LAINGVILLE  
Postal Code:  
Inspector: CARINA BODENSTEIN  
Date of Inspection: 2024-09-11  
Time of Inspection: 12:40

**RESPONDENT'S DETAILS**

Name: TWO BOY  
Company:  
Identification:  
Email:  
Tel 1:  
Tel 2: 0736718181

**REPORT**

Access Granted By: No Access  
Comment:  
Were Animals Seen on the Property: No  
Relationship to Property Owner:  
Captured By: CARINA BODENSTEIN 2024-09-11 13:06

**CHECKLISTS**

|                                 |                                           |
|---------------------------------|-------------------------------------------|
| WATER AVAILABLE                 | Yes                                       |
| ADEQUATE SHELTER AVAILABLE      | Yes                                       |
| ADEQUATE SPACE AVAILABLE        | Yes                                       |
| CLEAN LIVING ENVIRONMENT        | Yes                                       |
| ANIMALS IN GOOD CONDITION       | Yes                                       |
| VETERINARY PROBLEMS / HEALTH CO | No                                        |
| CONFINEMENT OF ANIMALS          | Caged - adequate space      Pig Enclosure |

General Report Comments: I was fortunate that the road was accessible today as I could drive to the kraals.

Upon my arrival, no one appeared to be present as there was no response to my presence.

I walked through the pig enclosures and found the 4 enclosures still broken down with no animals.

At the far end I smelled pigs and as I walked closed I observed 10x pigs kept in a large enclosure (20m x 10m). The enclosure is well build and still in good repair. It has a solid roof which provides adequate protection against the weather elements. The pigs had a dry area where they were all lying together. I saw bins with premixed food which I can only assume is designated for them, as they are the only animals observed. The animals appeared to be in good condition and no veterinary or health concerns were observed. Water was seen in 2 large flatbed structures.

I will conduct a routine check next month again to ensure there are no APA contraventions.

**ACTIONS**

NO ACTION REQUIRED

---

**REPORT OUTCOMES**

|                                      |            |
|--------------------------------------|------------|
| Follow-up inspection to be conducted | 2024-11-20 |
| Follow-up inspection to be conducted | 2024-11-20 |