

WELLINGTON SPCA
INSPECTOR REPORT

IHB714403

Complaint Reference No.

Building: OPPOSITE LANDROVER NEAR A WINGERD
Street: R44
Suburb:
Postal Code:
Inspector: INSPECTOR ONE
Date of Inspection: 2025-02-07
Time of Inspection: 15:00

RESPONDENT'S DETAILS

Name: Louis
Company:
Identification:
Email:
Tel 1:
Tel 2:

REPORT

Access Granted By: Mzingisi Ngoqo
Comment:
Were Animals Seen on the Property: Yes
Relationship to Property Owner: Worker
Captured By: INSPECTOR ONE 2025-02-10 11:29

CHECKLISTS

WATER AVAILABLE	Yes	
ADEQUATE SHELTER AVAILABLE	Yes, but not adequate ***	Too small and broken
ADEQUATE SPACE AVAILABLE	No ***	Shelter
CLEAN LIVING ENVIRONMENT	No ***	No cleaning equipment
ANIMALS IN GOOD CONDITION	Yes	
VETERINARY PROBLEMS / HEALTH CO	No	
CONFINEMENT OF ANIMALS	Tethered ***	Security dog

General Report Comments: Hugh and I, Elani arrived at the property and met with a security guard named Mzingizisi Ngozo. He informed us that his dog Atemus had to get additional water throughout the day and Dogs and all brought it. They should bring additional cans of water. He also did not have cleaning equipment for the faeces and the dog was riddled with flies. The dogs were changed halfway throughout the day so there is a dayshift dog and a night shift dog. The shelter was very small, couldn't lock properly and was broken with sharp metal edges. The guard also did not have his PSIRA card on him even though he claimed to be DH level 2.

I then issued a warning to:

- 1) Atemus did not have additional drinking water and was allegedly without water for a time. Ensure that there is always additional 25 liter water containers on site in case the water runs out.
- 2) The kennel enclosure on site is not up to PSIRA standards and the latch is broken. There are lots of broken metal pieces and wires that can cause injury. Ensure to replace the kennel enclosure with a suitable one like the other aites (1.8 x 1.5 x 1.4m) within 7 days.
- 3) Your staff member did not have his PSIRA card with him. Provide me with his PSIRA credentials within 48 hours.
- 4) Ensure to provide the handler with poop bags to remove the excrement from the living environment within 48 hours.
- 5) Ensure to provide all your dogs with Shoo-fly before going on site/ provide fly traps within 48 hours.

I gave this to the handler that signed the warning and messaged Louis the warning. To follow up on Monday.

ACTIONS

Warning Issued

063

REPORT OUTCOMES

Follow-up inspection to be conducted 2025-02-10

INSPECTION ANIMALS

Description:

1 x DOGS (GERMAN SHEPHERD) - A STERILISED FEMALE CALLED 'Atemus' (COLOUR: Brown and black) CONDITION: Okay