

WELLINGTON SPCA
INSPECTOR REPORT

CHIP11171

Complaint Reference No.

Building:
Street: 2A LE ROUX
Suburb: WELLINGTON
Postal Code: 7654
Inspector: INSPECTOR ONE
Date of Inspection: 2025-09-25
Time of Inspection: 10:30

RESPONDENT'S DETAILS

Name:
Company:
Identification:
Email:
Tel 1:
Tel 2:

REPORT

Access Granted By: No one at home
Comment:
Were Animals Seen on the Property: No
Relationship to Property Owner:
Captured By: INSPECTOR ONE 2025-09-25 11:47

CHECKLISTS

General Report Comments: We met the complainant in Le Roux Street and Phonose from Wolf Response. They told us that tge municipality and Fire and Rescue was out to assist but they have no way yo put the ladder up the building to get the cat as the truck cannot get into the crevices of the building. They were gone when we got there. The storeroom for Agrimark is next to JNT Metal. The storeroom is made of asbestos on the walls and roof which makes it highly dangerous to walk on. The complainant informed us yhat the mother cat does know that her kitten is up there as she was meowing at him this morning. The other two kittens are freeroaming at the bottom. I told her to inform us as soon as she sees the kitten again as I hope that she will fetch him from the roof. She mustve carried him up on the roof.

Close for now

ACTIONS

OWNER EDUCATED

REPORT OUTCOMES

CASE FINALISED - NFA
ANIMAL(S) NO LONGER ON PROPER`