

JOHANNESBURG SPCA
INSPECTOR REPORT

IIA608235

Complaint Reference No.

Building:
Street: 1311 PIONEER STREET
Suburb: DUBE
Postal Code:
Inspector: DIALE RATSELA
Date of Inspection: 2026-01-30
Time of Inspection: 08:23

RESPONDENT'S DETAILS

Name:
Company:
Identification:
Email:
Tel 1:
Tel 2:

REPORT

Access Granted By: HECTOR MAKUA
Comment:
Were Animals Seen on the Property: Yes
Relationship to Property Owner: Owner
Captured By: DIALE RATSELA 2026-01-30 08:41

CHECKLISTS

CONFINEMENT OF ANIMALS	Free roaming - in property	
ADEQUATE SPACE AVAILABLE	Yes	
CLEAN LIVING ENVIRONMENT	No ***	DROPPINGS AND HAZARDOUS MATERIALS
WATER AVAILABLE	Yes	
ADEQUATE SHELTER AVAILABLE	Yes, but not adequate ***	THE SHELTER WAS NOT SUFFICIENT FOR WET WEATHER
ANIMALS IN GOOD CONDITION	Yes	
VETERINARY PROBLEMS / HEALTH CO	No	

General Report Comments: OBSERVED THREE DOGS ON THE PREMISES, AN ADULT CROSS BREED FEMALE MEDIUM, X BREED, A CROSS TERRIER SMALL ADULT FEMALE AND A JACK RUSSEL CROSS MALE. ALL THREE WERE FOUND MOVING FREELY ON THE PREMISES, ALL FOUND IN AN ACCEPTABLE CONDITION. ACCORDING TO THE OWNER THE CROSS BREED FEMALE DOG WAS ESCAPING FROM THE PREMISES RUNNING IN THE STREETS. HE AGREED TO SURRENDER THE DOG AS HE COULD NOT KEEP IT SECURE. THE OWNER ADMITTED CHAINING THE DOG AS A MEANS OF KEEPING IT SECURE. THE OWNER WAS ISSUED WITH A WARNING TO PROVIDE ADEQUATE SHELTER AND TO CLEAN UP THE YARD OF DROPPINGS AND HAZARDOUS MATERIALS. OWNER ADVISED TO HAVE THE REMAINING DOGS STERILISED. FOLLOW UP ON 08/01/2026.

ACTIONS

Warning Issued 05169

REPORT OUTCOMES

Follow-up inspection to be conducted 2026-01-31
Follow-up inspection to be conducted 2026-01-31
ANIMAL(S) SIGNED OVER 247036

INSPECTION ANIMALS

Description:

1 x DOGS (X BREED (UNKNOWN)) - AN UNSTERILISED FEMALE CALLED "REX" (COLOUR: TAN) CONDITION: ACCEPTABLE

Description:

1 x DOGS (JACK RUSSELL TERRIER X) - AN UNSTERILISED MALE (COLOUR: WHITE AND BLACK) CONDITION: ACCEPTABLE

Description:

1 x DOGS (TERRIER X) - AN UNSTERILISED FEMALE (COLOUR: WHITE AND BLACK) CONDITION: ACCEPTABLE