

COGH SPCA
INSPECTOR REPORT

INSP210406

Complaint Reference No.

Building:
Street: 13 LA BELLE ROAD
Suburb: STIKLAND
Postal Code: 7530
Inspector: CLODEEN ARNOLDS
Date of Inspection: 2024-12-06
Time of Inspection: 09:00

RESPONDENT'S DETAILS

Name:
Company:
Identification:
Email:
Tel 1:
Tel 2:

REPORT

Access Granted By: Belinda Dupreez
Comment:
Were Animals Seen on the Property: Yes
Relationship to Property Owner: Worker
Captured By: Clodeen Arnolds 2024-12-30 08:59

CHECKLISTS

WATER AVAILABLE	Yes
ADEQUATE SHELTER AVAILABLE	Yes
ADEQUATE SPACE AVAILABLE	Yes
CLEAN LIVING ENVIRONMENT	Yes
ANIMALS IN GOOD CONDITION	Yes
VETERINARY PROBLEMS / HEALTH CO	No
CONFINEMENT OF ANIMALS	Free roaming - in property

General Report Comments:

Upon arrival accompanied by Supervisor Inspector Rudolph Philander I met Quality Comtroller Belinda who accompanied us on our inspection. Starting in the clean area where they have their biosecurity measures where we have to clean our boots and hands. I observed in the stunning area that where the live pigs are brought in to be electrically stunned they do not clean the blood off between pigs, which was address. With handling where the pigs get hurded the one handler had a bottle which was broken showing a few plastic spikes which the handler plunged into some of the pigs to get them to move, which was also immediately addressed. On the old electric stunning line the handlers brought in two pigs at at the same time where the one pug had to watch the inter get stunned , which was also immediately adress. A hand stunner is kept close by was sometimes just the electric stunner does not make the pigs unconscious than the manual hand stunner needs to be use.

Outside the pigs have access to adequate water sprayers when they dropped off to cool down for up to 2hours before they get slaughtered. They also have access to automatic water nozzles which they use. When a injured pig is seen in the new batch which was offloaded they do an immediate emergency stunning process where they separate the injured one from the rest. Gritting on the ramp and all over holding areas were seen and is sufficient. The abbitoir has ramps of all sizes to accommodate different vehicles. All trucks that pulls up at the abbitoir go through a disinfectant sprayer before entering the property. When more then one truck pulls up at the abbitoir there is a resting area for the second truck under shade where those pigs also gets cooled down with water.

An electronic warning was issued.

ACTIONS

OTHERAn electronic warning was issued.

REPORT OUTCOMES

Follow-up inspection to be conducted2025-01-02

INSPECTION ANIMALS

Description:

NIL