

 **A32247 A32247**

PET OWNER: **A32247**
SPECIES: **Feline**
BREED:
GENDER:
AGE:
PATIENT ID:


CAPE OF GOOD HOPE SPCA
1st Avenue,
Cape Town, WC 7945
021 700 4140
ACCOUNT #:
ATTENDING VET:

LAB ID:
ORDER ID:
DATE OF RECEIPT: **12/6/2024**
DATE OF RESULT: **12/6/2024**

IDEXX Services: **LaserCyte Dx Analyser, Catalyst One Chemistry Analyser**

Haematology

12/6/2024 **1:08 PM**

TEST	RESULT	REFERENCE VALUE	
RBC	4.75	5.30 - 10.60 x10¹²/L	L 
Haematocrit	0.211	0.297 - 0.445 L/L	L 
Haemoglobin	79	92 - 154 g/L	L 
MCV	44.3	38.1 - 53.9 fL	
MCH	16.6	11.5 - 19.2 pg	
MCHC	373	299 - 386 g/L	
RDW	17.9	17.3 - 22.0 %	
% Reticulocytes	1.1	%	
Reticulocytes	50.2	3.0 - 50.0 K/μL	H 
WBC	8.28	5.50 - 19.50 x10 ⁹ /L	
% Neutrophils	* 75.4	%	
% Lymphocytes	6.6	%	
% Monocytes	* 14.0	%	
% Eosinophils	3.4	%	
% Basophils	0.7	%	
Neutrophils	* 6.24	2.50 - 12.50 x10 ⁹ /L	
Lymphocytes	0.54	0.40 - 6.80 x10 ⁹ /L	
Monocytes	* 1.16	0.15 - 1.70 x10 ⁹ /L	
Eosinophils	0.28	0.10 - 0.79 x10 ⁹ /L	
Basophils	0.05	0.00 - 0.10 x10 ⁹ /L	
Platelets	132	175 - 600 x10⁹/L	L 
PDW	27.7	%	
MPV	26.3	fL	
Plateletcrit	0.35	%	




A32247 A32247

PET OWNER: A32247

DATE OF RESULT: 12/6/2024

LAB ID:


RBC Run



- RBC
- RBC_FRAG
- PLT
- DOUBLET
- QUALIBEADS
- RETICS

Download

WBC Run



- WBC Frags
- EOS
- BASO
- MONO
- QUALIBEADS
- URBC
- LYM
- NEU
- PLT_AGG

Download

WBC Abnormal Distribution (WD)

Chemistry



12/6/2024

1:09 PM

TEST	RESULT	REFERENCE VALUE	
Glucose	11.46	4.11 - 8.84 mmol/L	H
Creatinine	66	71 - 212 µmol/L	L
Urea	4.0	5.7 - 12.9 mmol/L	L
BUN: Creatinine Ratio	15		
Phosphorus	1.11	1.00 - 2.42 mmol/L	
Calcium	2.12	1.95 - 2.83 mmol/L	
Total Protein	93	57 - 89 g/L	H
Albumin	25	22 - 40 g/L	
Globulin	67	28 - 51 g/L	H
Albumin: Globulin Ratio	0.4		
ALT	42	12 - 130 U/L	
ALP	41	14 - 111 U/L	
GGT	2	0 - 4 U/L	
Bilirubin - Total	3	0 - 15 µmol/L	
Cholesterol	2.24	1.68 - 5.81 mmol/L	



A32247 A32247

PET OWNER: A32247

DATE OF RESULT: 12/6/2024

LAB ID:

Chemistry (continued)

TEST	RESULT	REFERENCE VALUE	
Amylase	553	500 - 1,500 U/L	
Lipase	249	100 - 1,400 U/L	