

INSPECTOR NOTE

Building:	
Street:	96 KLIPBOK STREET
Suburb:	SCOTTSDENE
Postal Code:	7570
Date:	2025-11-11
Time:	16:48
Inspector:	YAASEEN ABRAHAMS
Type:	CASE DISCUSSION NOTE
Follow-Up Date:	2025-11-17

Comments:

Case number: INSP223340
Address: 96 Klipbok Street, Scottsdene

Stage of investigation: Initial Investigation
Inspector/s: Yaaseen Abrahams & Lee Prins
Date of inspection: 11-11-2025

Time of inspection: 12:15
Already have details on file
RESPONDENT'S DETAILS

REPORT

Access granted by: Ashweldo Petersen

Were any animals seen on the property? Same animal/s as previous inspection

FINDINGS

Confinement of animal/s: Free roaming - in property
Adequate space: Yes
Clean living environment: Yes
Water available: Yes
Adequate shelter available: Yes, but not adequate ***
Animal/s in good condition: Yes

Upon arrival, myself and Inspector Lee Prins from the Cape of Good Hope SPCA met with the owner, Mr. Ashweldo Pietersen, who granted us access to the property. I observed the two adult male dogs in question, still in fair body condition and free roaming on the property. The dogs water bowl was filled with clean potable water this time, and there was still the one shelter outside. Ashweldo informed us that the shelter must still be extended but his mom might buy an extra one as well. I told him that we can give an extension, but they need to please sort it out. He also said they agreed for sterilization, so I will arrange that on the follow up next week. The puppy inside the house was also observed still in fair body condition as well.

I issued a warning notice, 21839, to:

1. Provide the animals with adequate shelter against the elements within 6 days.

The warning was co-signed by Inspector Lee Prins and I, and was signed and accepted by the owner Mr. Ashweldo Pietersen.

ACTION TAKEN

Warning issued 21839

Veterinary problems / health concerns: No

OUTCOME / FOLLOW-UP

Follow-up inspection to be conducted

Follow-up inspection date / period: 17-11-2025

MAGDALENE MARSHALL 2025-11-11 16:48

Captured By: